

Channel	Di	Position	U	Type & Accessories & Watts	Purpose	Color and Template
(1)	105	FOH	10	S4-19¼ 750w	Warm	R3409
	"	"	13	"	"	"
(2)	109	FOH	8	S4-19¼ 750w	Warm	R3409
(3)	102	FOH	3	S4-19¼ 750w	Warm	R3409
	"	"	5	"	"	"
(4)	27	LX 2	15	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R3409
(5)	22	LX 2	10	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R3409
(6)	17	LX 2	5	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R3409
(11)	104	FOH	9	S4-19¼ 750w	Cool	L201+L269
	"	"	11	"	"	"
(12)	103	FOH	6	S4-19¼ 750w	Cool	L201+L269
(13)	101	FOH	1	S4-19¼ 750w	Cool	L201+L269
	"	"	4	"	"	"
(14)	24	LX 2	12	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	L201+L269
(15)	19	LX 2	7	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	L201+L269
(16)	14	LX 2	2	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	L201+L269
(21)	26	LX 2	14	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321
(22)	21	LX 2	9	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321
(23)	16	LX 2	4	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321
(24)	43	LX 4	6	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321
(25)	41	LX 4	4	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321
(26)	39	LX 4	2	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321
(31)	25	LX 2	13	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269
(32)	20	LX 2	8	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269
(33)	15	LX 2	3	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269
(34)	42	LX 4	5	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269
(35)	40	LX 4	3	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269
(36)	38	LX 4	1	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269
(41)	10	LX 1	10	S4 PARNel+7.5 4 Leaf Barn Door 575w	Red Top	R26+L269
	"	LX 3	9	"	"	"
(42)	6	LX 1	6	S4 PARNel+7.5 4 Leaf Barn Door 575w	Red Top	R26+L269
	"	LX 3	7	"	"	"
(43)	4	LX 1	4	S4 PARNel+7.5 4 Leaf Barn Door 575w	Red Top	R26+L269
	"	LX 3	"	"	"	"

Channel	Di	Position	U	Type & Accessories & Watts	Purpose	Color and Template
(51)	12	LX 1	13	S4-36¼ 750w	W Tips	R317+R119
(52)	37	LX 3	12	S4-36¼ 750w	W Tips	R317+R119
(55)	1	LX 1	1	S4-36¼ 750w	W Tips	R317+R119
(56)	29	LX 3	1	S4-36¼ 750w	W Tips	R317+R119
(61)	8	LX 1	12	S4-36¼ 750w	C Tips	R355+R119+L269
(62)	36	LX 3	11	S4-36¼ 750w	C Tips	R355+R119+L269
(65)	2	LX 1	2	S4-36¼ 750w	C Tips	R355+R119+L269
(66)	30	LX 3	2	S4-36¼ 750w	C Tips	R355+R119+L269
(71)	11	LX 1	11	S4-50¼ 750w	Gobo	nc, T:R77806A Leaf
(72)	28	LX 2	16	S4-50¼ 750w	Gobo	nc, T:R77806A Leaf
(73)	35	LX 3	10	S4-50¼ 750w	Gobo	nc, T:R77806A Leaf
(75)	3	LX 1	3	S4-50¼ 750w	Gobo	nc, T:R77806A Leaf
(76)	13	LX 2	1	S4-50¼ 750w	Gobo	nc, T:R77806A Leaf
(77)	31	LX 3	3	S4-50¼ 750w	Gobo	nc, T:R77806A Leaf
(81)	44	HL Near Cove	1	S4-26¼ 750w	DS X wash	L202+L269
(82)	45	HR Near Cove	1	S4-26¼ 750w	DS X wash	L202+L269
(91)	107	FOH	12	S4-19¼ 750w	Special	nc
(92)	108	FOH	7	S4-19¼ 750w	Special	nc
(93)	106	FOH	2	S4-19¼ 750w	Special	nc
(100)	9	LX 1	9	S4-36¼ 750w	Special	nc
(101)	46	LX 1	8	S4-36¼ 750w	C Tips	R355+R119+L269
(102)	7	LX 1	7	S4-36¼ 750w	Special	nc
(103)	5	LX 1	5	S4-36¼ 750w	Special	nc
(104)	23	LX 2	11	S4-36¼ 750w	Special	nc
(105)	18	LX 2	6	S4-36¼ 750w	Special	nc
(106)	34	LX 3	8	S4-36¼ 750w	Special	nc
(107)	33	LX 3	6	S4-36¼ 750w	Special	nc
(108)	32	LX 3	5	S4-36¼ 750w	Special	nc

Panasonic House Plot

DIMMER HOOKUP

Page 1

AS HUNG

OCT 10, 2009

Rack 1: DIMMERS 1-96 Capacity: 2.4kw, in racks of 96

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
1	(55)	LX 1	1	S4-36¼ 750w	W Tips	R317+R119	LX1 SL (B) 6
Total Load: 750w							
2	(65)	LX 1	2	S4-36¼ 750w	C Tips	R355+R119+ L269	LX1 SL (B) 5
Total Load: 750w							
3	(75)	LX 1	3	S4-50¼ 750w	Gobo	nc, T: R77806A Leaf	LX1 SL (B) 4
Total Load: 750w							
4	(43)	LX 1	4	S4 PARNel+7.5 4 Leaf Barn Door 575w	Red Top	R26+L269	LX1 SL (B) 2
	"	LX 3	"	"	"	"	LX3 SL (H) 2
Total Load: 1150w							
5	(103)	LX 1	5	S4-36¼ 750w	Special	nc	LX1 C (C) 6
Total Load: 750w							
6	(42)	LX 1	6	S4 PARNel+7.5 4 Leaf Barn Door 575w	Red Top	R26+L269	LX1 C (C) 4
	"	LX 3	7	"	"	"	LX3 C (I) 3
Total Load: 1150w							
7	(102)	LX 1	7	S4-36¼ 750w	Special	nc	LX1 C (C) 3
Total Load: 750w							
8	(61)	LX 1	12	S4-36¼ 750w	C Tips	R355+R119+ L269	LX1 SR (D) 2
Total Load: 750w							
9	(100)	LX 1	9	S4-36¼ 750w	Special	nc	LX1 SR (D) 6
Total Load: 750w							
10	(41)	LX 1	10	S4 PARNel+7.5 4 Leaf Barn Door 575w	Red Top	R26+L269	LX1 SR (D) 5
	"	LX 3	9	"	"	"	LX3 SR (J) 5
Total Load: 1150w							
11	(71)	LX 1	11	S4-50¼ 750w	Gobo	nc, T: R77806A Leaf	LX1 SR (D) 3
Total Load: 750w							
12	(51)	LX 1	13	S4-36¼ 750w	W Tips	R317+R119	LX1 SR (D) 1
Total Load: 750w							
13	(76)	LX 2	1	S4-50¼ 750w	Gobo	nc, T: R77806A Leaf	LX2 SL (E) 6
Total Load: 750w							
14	(16)	LX 2	2	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	L201+L269	LX2 SL (E) 5
Total Load: 575w							
15	(33)	LX 2	3	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269	LX2 SL (E) 4
Total Load: 575w							
16	(23)	LX 2	4	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321	LX2 SL (E) 3
Total Load: 575w							

Rack 1: DIMMERS 1-96 Capacity: 2.4kw, in racks of 96

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
17	(6)	LX 2	5	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R3409	LX2 SL (E) 2
Total Load: 575w							
18	(105)	LX 2	6	S4-36¼ 750w	Special	nc	LX2 C (F) 6
Total Load: 750w							
19	(15)	LX 2	7	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	L201+L269	LX2 C (F) 5
Total Load: 575w							
20	(32)	LX 2	8	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269	LX2 C (F) 4
Total Load: 575w							
21	(22)	LX 2	9	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321	LX2 C (F) 3
Total Load: 575w							
22	(5)	LX 2	10	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R3409	LX2 C (F) 2
Total Load: 575w							
23	(104)	LX 2	11	S4-36¼ 750w	Special	nc	LX2 C (F) 1
Total Load: 750w							
24	(14)	LX 2	12	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	L201+L269	LX2 SR (G) 6
Total Load: 575w							
25	(31)	LX 2	13	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269	LX2 SR (G) 5
Total Load: 575w							
26	(21)	LX 2	14	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321	LX2 SR (G) 4
Total Load: 575w							
27	(4)	LX 2	15	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R3409	LX2 SR (G) 3
Total Load: 575w							
28	(72)	LX 2	16	S4-50¼ 750w	Gobo	nc, T: R77806A Leaf	LX2 SR (G) 2
Total Load: 750w							
29	(56)	LX 3	1	S4-36¼ 750w	W Tips	R317+R119	LX3 SL (H) 6
Total Load: 750w							
30	(66)	LX 3	2	S4-36¼ 750w	C Tips	R355+R119+ L269	LX3 SL (H) 5
Total Load: 750w							
31	(77)	LX 3	3	S4-50¼ 750w	Gobo	nc, T: R77806A Leaf	LX3 SL (H) 4
Total Load: 750w							
32	(108)	LX 3	5	S4-36¼ 750w	Special	nc	LX3 C (I) 6
Total Load: 750w							
33	(107)	LX 3	6	S4-36¼ 750w	Special	nc	LX3 C (I) 4
Total Load: 750w							

Rack 1: DIMMERS 1-96 Capacity: 2.4kw, in racks of 96

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
34	(106)	LX 3	8	S4-36¼ 750w	Special	nc	LX3 C (I) 1
Total Load: 750w							
35	(73)	LX 3	10	S4-50¼ 750w	Gobo	nc, T: R77806A Leaf	LX3 SR (J) 3
Total Load: 750w							
36	(62)	LX 3	11	S4-36¼ 750w	C Tips	R355+R119+ L269	LX3 SR (J) 2
Total Load: 750w							
37	(52)	LX 3	12	S4-36¼ 750w	W Tips	R317+R119	LX3 SR (J) 1
Total Load: 750w							
38	(36)	LX 4	1	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269	LX4 SL (K) 6
Total Load: 575w							
39	(26)	LX 4	2	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321	LX4 SL (K) 5
Total Load: 575w							
40	(35)	LX 4	3	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269	LX4 SL (K) 2
Total Load: 575w							
41	(25)	LX 4	4	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321	LX4 SL (K) 3
Total Load: 575w							
42	(34)	LX 4	5	S4 PARNel+7.5 4 Leaf Barn Door 575w	Cool	R80+L269	LX4 SR (L) 4
Total Load: 575w							
43	(24)	LX 4	6	S4 PARNel+7.5 4 Leaf Barn Door 575w	Warm	R321	LX4 SR (L) 3
Total Load: 575w							
44	(81)	HL Near Cove	1	S4-26¼ 750w	DS X wash	L202+L269	HL Near Cove
Total Load: 750w							
45	(82)	HR Near Cove	1	S4-26¼ 750w	DS X wash	L202+L269	HR Near Cove
Total Load: 750w							
46	(101)	LX 1	8	S4-36¼ 750w	C Tips	R355+R119+ L269	LX1 C (C) 2
Total Load: 750w							
47							
48							
49							
50							
51							
52							

Rack 1: DIMMERS 1-96 Capacity: 2.4kw, in racks of 96

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
53							
54							
55							
56							
57							
58							
59							
60							
61							
62							
63							
64							
65							
66							
67							
68							
69							
70							
71							
72							
73							
74							
75							
76							
77							
78							
79							
80							
81							
82							
83							

Rack 1: DIMMERS 1-96 Capacity: 2.4kw, in racks of 96

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							

Rack 2: DIMMERS 101-124 Capacity: 2.4kw, in racks of 24

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
101	(13)	FOH	1	S4-19¼ 750w	Cool	L201+L269	COVE SL 6
	"	"	4	"	"	"	COVE SL 3
Total Load: 1500w							
102	(3)	FOH	3	S4-19¼ 750w	Warm	R3409	COVE SL 4
	"	"	5	"	"	"	COVE SL 2
Total Load: 1500w							
103	(12)	FOH	6	S4-19¼ 750w	Cool	L201+L269	COVE SL 1
Total Load: 750w							
104	(11)	FOH	9	S4-19¼ 750w	Cool	L201+L269	COVE SR 6
	"	"	11	"	"	"	COVE SR 3
Total Load: 1500w							
105	(1)	FOH	10	S4-19¼ 750w	Warm	R3409	COVE SR 4
	"	"	13	"	"	"	COVE SR 1
Total Load: 1500w							
106	(93)	FOH	2	S4-19¼ 750w	Special	nc	COVE SL 5
Total Load: 750w							
107	(91)	FOH	12	S4-19¼ 750w	Special	nc	COVE SR 2
Total Load: 750w							
108	(92)	FOH	7	S4-19¼ 750w	Special	nc	COVE C 3
Total Load: 750w							
109	(2)	FOH	8	S4-19¼ 750w	Warm	R3409	COVE C 4
Total Load: 750w							
110							
111							
112							
113							
114							
115							
116							
117							
118							
119							
120							
121							
122							
123							

Rack 2: DIMMERS 101-124 Capacity: 2.4kw, in racks of 24

Dimmer	Chn	Pos	U#	Type & Accessories & Watts	Purpose	Color & Tmp	Circuit & Cir#
--------	-----	-----	----	----------------------------	---------	-------------	----------------

124

FOH

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	Cool	S4-19¼	750w	L201+L269		101	(13)
2	Special	S4-19¼	750w	nc		106	(93)
3	Warm	S4-19¼	750w	R3409		102	(3)
4	Cool	S4-19¼	750w	L201+L269		101	(13)
5	Warm	S4-19¼	750w	R3409		102	(3)
6	Cool	S4-19¼	750w	L201+L269		103	(12)
7	Special	S4-19¼	750w	nc		108	(92)
8	Warm	S4-19¼	750w	R3409		109	(2)
9	Cool	S4-19¼	750w	L201+L269		104	(11)
10	Warm	S4-19¼	750w	R3409		105	(1)
11	Cool	S4-19¼	750w	L201+L269		104	(11)
12	Special	S4-19¼	750w	nc		107	(91)
13	Warm	S4-19¼	750w	R3409		105	(1)

HR Near Cove

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	DS X wash	S4-26¼	750w	L202+L269		45	(82)

HL Near Cove

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	DS X wash	S4-26¼	750w	L202+L269		44	(81)

LX 1

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	W Tips	S4-36¼	750w	R317+R119		1	(55)
2	C Tips	S4-36¼	750w	R355+R119+L269		2	(65)
3	Gobo	S4-50¼	750w	nc	R77806A Leaf	3	(75)
4	Red Top	S4 PARNel+7.5 4 Leaf Barn Door	575w	R26+L269		4	(43)
5	Special	S4-36¼	750w	nc		5	(103)
6	Red Top	S4 PARNel+7.5 4 Leaf Barn Door	575w	R26+L269		6	(42)
7	Special	S4-36¼	750w	nc		7	(102)
8	C Tips	S4-36¼	750w	R355+R119+L269		46	(101)
9	Special	S4-36¼	750w	nc		9	(100)
10	Red Top	S4 PARNel+7.5 4 Leaf Barn Door	575w	R26+L269		10	(41)
11	Gobo	S4-50¼	750w	nc	R77806A Leaf	11	(71)
12	C Tips	S4-36¼	750w	R355+R119+L269		8	(61)
13	W Tips	S4-36¼	750w	R317+R119		12	(51)

LX 2

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	Gobo	S4-50¼	750w	nc	R77806A Leaf	13	(76)
2	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	L201+L269		14	(16)
3	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	R80+L269		15	(33)
4	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R321		16	(23)
5	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R3409		17	(6)
6	Special	S4-36¼	750w	nc		18	(105)
7	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	L201+L269		19	(15)
8	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	R80+L269		20	(32)
9	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R321		21	(22)
10	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R3409		22	(5)
11	Special	S4-36¼	750w	nc		23	(104)
12	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	L201+L269		24	(14)
13	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	R80+L269		25	(31)
14	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R321		26	(21)
15	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R3409		27	(4)
16	Gobo	S4-50¼	750w	nc	R77806A Leaf	28	(72)

LX 3

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	W Tips	S4-36¼	750w	R317+R119		29	(56)
2	C Tips	S4-36¼	750w	R355+R119+L269		30	(66)
3	Gobo	S4-50¼	750w	nc	R77806A Leaf	31	(77)
4	Red Top	S4 PARNel+7.5 4 Leaf Barn Door	575w	R26+L269		4	(43)
5	Special	S4-36¼	750w	nc		32	(108)
6	Special	S4-36¼	750w	nc		33	(107)
7	Red Top	S4 PARNel+7.5 4 Leaf Barn Door	575w	R26+L269		6	(42)
8	Special	S4-36¼	750w	nc		34	(106)
9	Red Top	S4 PARNel+7.5 4 Leaf Barn Door	575w	R26+L269		10	(41)
10	Gobo	S4-50¼	750w	nc	R77806A Leaf	35	(73)
11	C Tips	S4-36¼	750w	R355+R119+L269		36	(62)
12	W Tips	S4-36¼	750w	R317+R119		37	(52)

LX 4

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	R80+L269		38	(36)
2	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R321		39	(26)
3	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	R80+L269		40	(35)
4	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R321		41	(25)
5	Cool	S4 PARNel+7.5 4 Leaf Barn Door	575w	R80+L269		42	(34)
6	Warm	S4 PARNel+7.5 4 Leaf Barn Door	575w	R321		43	(24)